



Unit 9, Stanford Business Park
 16th Road Midrand
www.hayfordtraders.co.za

EXPLORER COTTON CANVAS

Properties:	Specification:	Test Method:
Composition	100% Cotton	N/A
Construction	Plain Weave	N/A
Water Penetration (mm)		
Hydrostatic Pressure Test	250	DIN EN 20811
Weight (gsm)	380	
Usable Width (cm)	150	
Colour Fastness to Light		
Xenon Arc Fading Lamp Test	4	ISO 105-B02:1997
Colour Fastness to Perspiration		
Acid (change of colour shade)	4-5	DIN EN ISO 105-E04
Alkaline (change of colour shade)	4-5	
Colour Fastness to Rubbing		
Staining of Transfer Cloth		
Dry	4-5	DIN EN ISO 105-X12
Wet	3-4	
Colour Fastness to Water		
Change of colour	4-5	DIN EN ISO 105-E01
Oil Repellency	6	AATCC 118/EN 14419
Water Repellency	90	AATCC 22/EN 24920

Cleaning instruction: If the canvas is affected due to heavy staining in a specific spot, it can be cleaned with a soft brush and warm water. Tougher stains can be cleaned with a very diluted soap water solution of at least 20 parts water to 1 part soap. Please do not use chemicals, bleach or harsh astringents on the canvas as it could affect the finishes. Care should be taken to ensure the canvas is not dragged on rough surfaces.

Please note that the information shared in this document is for general information only and it is the responsibility of the customer to ensure that this product meets their specific requirements. The data in this document is for indication only and the product performance properties may vary. This document is not to be treated as a Certificate of Conformance. Hayford Traders will not entertain any damages claimed against them as a result of data expressed in this document.